



2026 CATALOG

KINGBIRD ENTERPRISES, INC.
TAIWAN OEM MANUFACTURER

PLUMBING SOLUTIONS



PRODUCT HIGHLIGHTS

Lead-Free Brass
CSA / NSF Certified
OEM / ODM Available



PLUMBING SOLUTIONS



CONTENTS

01. Supply Line & Connector	3	05. Shower Components	25
• Quarter Turn Ball Valve	3	• Shower Hardware	25
• Supply Stops Overview	4	• Shower Heads & Diverter	26
• Angle Valve Series	5	• Tub Spouts	28
• Straight Valve Series	5	• Bathtub & Shower Trim Accessories	29
• Appliance Supply Valves	6		
• Hose Bibbs & Boiler Drains	7	06. Toilet & Flush Valve Parts	31
• Wall Faucets / Frost-Free Sillcocks	8	• Residential Toilet Repair Parts	31
• Supply Riser	9	• Commercial Flush Valve Parts	33
• Stainless Steel Braided Hose	10		
• CPVC Transition Fittings	11	07. Plumbing Accessories	34
		• Installation Accessories	34
02. Valves & Protection	12	• Plastic Stub-Out	37
• Vacuum Breaker	12	• Hose Clamps	37
• Brass Gas Valve	12	• Water Heater Accessories	38
• Water Hammer Arrestor	13		
• Water Hammer Box	15	08. Garden & Utility Products	39
• Radiator Air Vent	15	• Garden Hose Fittings	39
		• Garden Hose & Spray Guns	40
03. Lead-Free Brass Fittings	16	• Garden Hoses	40
• Pipe Fittings	16		
• Specialty Brass Fittings	16	09. OEM Replacement Parts	41
• Brass Socket Union	17	• Stem Series	41
• Dielectric Union	17	• Cartridge Series	42
		• Replacement Components	43
04. Drain & Waste Solutions	18		
• Drain Components	18		
• Floor Drain Covers	19		
• Floor Drains	20		
• Sink & Basket Strainers	21		
• Drain Accessories	22		
• P-Traps	23		
• Bathtub Waste & Overflow	24		



Supply Line & Connector

Water Supply Components

Quarter Turn Ball Valve



F102-A

1/4-TURN BALL VALVE ANGLE
1/2" FIP X 3/8" O.D COMP



F103-A

1/4-TURN BALL VALVE ANGLE
5/8" O.D COMP X 3/8" O.D COMP



F101-A

1/4-TURN BALL VALVE ANGLE
3/8" FIP X 3/8" O.D COMP



F111

1/4" O.D COMP X 1/2" PEX

F112

3/8" O.D COMP X 1/2" PEX



F203

1/4-TURN BALL VALVE
5/8" O.D COMP X 3/8" O.D COMP



F101

1/4-TURN BALL VALVE
3/8" FIP X 3/8" O.D COMP



F203-P

1/4 TURN BALL VALVE STRAIGHT
1/2" CPVC X 3/8" O.D COMP



Water Supply Components

Supply Stops Overview

Reliable Water Supply Components for Residential & Commercial Plumbing Systems



• Angle Valve



• PEX Valve

Available Connections:

- FIP
- OD Compression
- Solder
- PEX
- F1960 PEX
- CPVC



• CPVC Valve



• Straight Valve

Angle Valve Series



KY-101LT

Type: FIP x OD Comp



KY-103LT

Type: Solder x OD Comp



KY-400

Type: PEX x OD Comp



KY-700A

Type: CPVC x OD Comp

Straight Valve Series



KY-201LT

Type: FIP x OD Comp



KY-203LT

Type: Solder x OD Comp



KY-440

Type: PEX x OD Comp



MKY-700S

Type: CPVC x OD Comp

Washing Machine Valve



WH2002

Spec: 1/2" MIP x 3/4" Hose



WH902

Spec: 1/2" PAX x 3/4" HOSE



WH801

Spec: 3/4" HOSE x 1/2" FIP

Ice Maker Ball Valve



WH904

Spec: 1/2" PAX x 1/4" O.D. COMP.

Certifications



Standard Brass: cUPC · No. 3923

Lead-Free Brass: cUPC · No. 3923

AB1953 · No. 5981

NSF/ANSI 61 · No. N-5867

Easy Connector



ITEM NO.	CONNECTION
EZ3814TNL	3/8" x 1/4"
EZ3838TNL	3/8" x 3/8"
EZ1214TNL	1/2" x 1/4"
EZ1238TNL	1/2" x 3/8"
EZ1214TNPSMNL	1/2" x 1/2" NPSM x 1/4"
EZ1238TNPSMNL	1/2" x 1/2" NPSM x 3/8"



Boiler Drain



B7010
Boiler Drain Angle – Male
Size: 1/2" or 3/4"



B7018
Quarter-Turn Boiler Drain Angle – Male
Size: 1/2" or 3/4"



B7011
Boiler Drain Straight – Male
Size: 1/2" or 3/4"



B7017
Quarter-Turn Boiler Drain Straight – Male
Size: 1/2" or 3/4"



B7011P
Boiler Drain Straight – PEX
Size: 1/2"



B7017C
Quarter-Turn Boiler Drain Angle – Solder
Size: 3/4" (Dual 1/2" C)



B7017P
Quarter-Turn Boiler Drain Angle – PEX
Size: 1/2"

Hose Bibb & Sillcock



B7018HB
Quarter-Turn Hose Bibb – Male
Size: 1/2" or 3/4" or 3/4" (Dual 1/2" C)



B7020M
Sillcock – FIP
Size: 1/2" or 3/4"



B7022M
Sillcock – Solder
Size: 3/4" (Dual 1/2" C)



Frost-Free Sillcock

A



Standard Frost-Free Hydrant

B



Anti-Siphon Frost-Free Hydrant

C



Hot & Cold Frost-Free Hydrant

D



Hot & Cold Frost-Free Hydrant – PEX / Push Fit

STANDARD FROST-FREE HYDRANT

Connections: Male x Solder / PEX

Lengths: 4"–14"

ANTI-SIPHON FROST-FREE HYDRANT

Connections: Male x Solder / PEX / F1960 / Push Fit

Lengths: 6"–18"

HOT & COLD FROST-FREE HYDRANT

Connection: Male x Solder

Lengths: 4"–14"

HOT & COLD FROST-FREE HYDRANT – PEX / PUSH FIT

Connections: PEX / Push Fit

Lengths: 4"–14"

Supply Riser



FOR BASIN

A

Material: Copper Tube
Finish: Chrome Plated



B

Material: PE tube
Certification: cUPC & NSF



FOR TOILET

C

Material: Copper Tube
Finish: Chrome Plated



D

Material: Copper Tube
Finish: Custom Color Plated (GOLD)



E

Material: Copper Tube
Finish: No Plated



Stainless Steel Braided Hose

AB100 certification is available for selected models.

PE BRAIDED

A



B



C



VINYL PVC

D



E



F



G



PET BRAIDED

H



I



STAINLESS STEEL BRAIDED

J



K



L



M



N



O



P



Q



Available in
Lead-Free Brass &
Stainless Steel

Brass Series

Female Adapter
Size: 1/2"–2"



Male Adapter
Size: 1/2"–2"



Drop Ear Elbow
Size: 1/2", 3/4"



PEX ASTM F1807
Size: 1/2", 3/4", 1"



PEX ASTM F1960
Size: 1/2"–2"



Stainless Steel Series



Vacuum Breaker Brass Gas Valve

Lead-Free Brass Vacuum Breaker B126 (Heavy Duty) / B250 (Light Duty)



Material:
Lead-Free Brass

Connection Size:
3/4" NH



Brass Vacuum Breaker S-143

Connection Size:
1/2" NPSM



Brass Gas Valve



- Size: 1/2" NPT
- Size: 3/4" NPT
- CSA Certified
- Quarter-Turn Handle

NPTF Male Thread Series



No.	Spec	Size
1	1/2"-15-NPTF	Size A
2	3/4"-15-NPTF	Size B
3	1"-15-NPTF	Size C
4	1-1/4"-15-NPTF	Size D
5	1-1/2"-15-NPTF	Size E
6	2"-15-NPTF	Size F

Material: C46400/ C12200

CXC (Copper Sweat) Series



No.	Spec	Size
7	1/2"-15 CXC	Size A
8	3/4"-15 CXC	Size B
9	1"-15 CXC	Size C
10	1-1/4"-15 CXC	Size D

Material: C46400/ C12200

CPVC Series



11



12

No.	Spec	Size
11/12	1/2" CPVC	Size AA

Material: C12200





13
1/2 NPT



14
1/2 PEX



15
1/2 CXC



16
3/4 CXC



17
1/4 x 1/4
3/8 x 3/8
5/8 x 5/8



18
3/8 x 3/8
5/8 x 5/8



19
1/2" PEX



20
1/2" WIRSBO



21
3/4 "x3/4 "T



22
1/2 CXC



23
L



24
3/8"



25
1/2" WIRSBO

Connection Type

- **NPT:** #13
- **PEX:** #14, #19
- **CXC:** #15, #22
- **WIRSBO:** #20, #25
- **Tee Type:** #17, #18, #21, #23, #24

Size

- **AA:** #13 ~ #25 (All Models)

Material

- **C12200 Copper:** #14, #15, #16, #22, #23
- **C46400 Brass + C12200 Copper:** #13, #17, #18, #19, #20, #21, #24, #25



Water Hammer Box



Coin Air Valve & Key



Application



For hot water or steam systems



Compact, durable metal construction

Radiator Air/ Steam Vent



A



B



C



D



E

Pipe Fittings



90° Elbow

45° Elbow

90° Street Elbow

Tee

Cap

Nipple



Coupling



Square Plug



Bushing



Reducing Coupling

Available Sizes: 1/4"–2"
(Depending on Product)



Specialty Brass Fittings



A

B

Swivel Adapter



C

D

90° Drop Ear Elbow
Cast (Forged)



E

Swivel Elbow



Brass Socket Union



C X C

Union cast with
wrot tail



C X FE

Union cast with
wrot tail



C X M

Union cast with
wrot tail

Dielectric Union

A



Lead Free Brass Dielectric Union
Female Iron Pipe Thread X Sweat

B



Lead Free Brass Dielectric Union
Female Iron Pipe Thread X
Female Brass Pipe Thread

C



Lead Free Brass Dielectric Union
Male Iron Pipe Thread X Sweat

D



Steel Dielectric Union
Female Iron Pipe Thread X
Female Iron Pipe Thread

Drain Components

Type: Grid, Pop-up, Lift& Turn, Turn-Over
With Overflow or without Overflow



5619



5620



5618



5621



5614



5615



5627



5633



5643



5646



5647



5650



5664



5640



5642 18

Lift-Rod Operated Type
Available



Drain Components

Floor Drain Cover




FDC231

Tile Square w/ Round Grid
Drain Cover




FDC232

Snap-In Shower Drain
Cover
O.D.: 4-1/4"



FDC234

Screw-In Round Shower
Drain Cover
O.D.: 4"




FDC235

Screw-In Round Shower
Drain Cover
O.D.: 4-1/4"



FDC236

Screw-In Round Shower
Drain Cover
O.D.: 3-1/2"



FDC239

Screw-In Floor Drain
Cover
O.D.: 3-1/2" or 4-1/2"




FDC240

Screw-In Floor Drain
Cover
O.D.: 4-5/8"



FDC212

Screw-In Floor Drain
Cover
O.D.: 4-7/8"



FD210

Floor Drain with Screws
(Small Hole)

- Strainer O.D.: 5-5/8"
- Channel O.D.: 2-3/4"

Material: Stainless Steel / Brass, Colors Available

- FDC231, FDC232, FDC234, FDC235, FDC236, FDC239, FDC240, FDC212

Material: Aluminium

- FDC252

Type

- **Snap-In:** FDC232
- **Screw-In:** FDC234, FDC235, FDC236, FDC239, FDC240, FDC212
- **Floor Drain Cover:** FDC231, FDC239, FDC240, FDC212, FDC252

Drain Components



S201

Flange Assembly for
Lever & Twist Handle
Waste
O.D.: 4-1/4"



S202

Flange Assembly for
Lever & Twist Handle
Waste
O.D.: 4-1/4"



FD300

Tip-Toe Bathtub Drain



FD301

Bathtub/Floor Drain



FD201

Trip Lever Bathtub Drain



FD202

Lift and Turn Bathtub
Drain



FD203

4" x 4" Anti-Odor Floor
Drain



SFD204

3.5" Floor Drain
O.D.: 3-1/2"

Square Body: 4" x 4" Screw Spacing: 2-7/16" C-C



FD210

Floor Drain with Screws
(Small Hole)

- Strainer O.D.: 5-5/8"
- Channel O.D.: 2-3/4"



FD211

Floor Drain with Screws
(Big Hole)

- Strainer O.D.: 5-5/8"
- Channel O.D.: 4"



FD212

Floor Drain w/ Brass
Casting Body

- Strainer O.D.: 4-7/8"
- Channel I.D.: 4-1/16"



FD401

Floor Drain w/ Filter
Basket & Rubber Cover

- Strainer O.D.: 1-3/8"

Opening Size

- 1-7/8" ~ 2-1/2" Opening: FD300, FD301, FD201, FD202

Bathtub Drain

- FD300, FD201, FD202

Floor Drain

- FD301, FD203, FD204, FD210, FD211, FD212, FD401

Brass Body

- FD212

Drain Components



S105

Fixed Post Basket
Strainer Drain Assembly



S10535

Adjustable Post Basket
Strainer Drain Assembly



S106

Twist Lock Basket
Strainer Drain Assembly



S110

Double Cup Basket
Strainer Drain Assembly



S10142

Easy Connect Basket
Strainer w/ Hexagon
Plate



S10430

Deep Cup Drain w/ Turn
& Seal Basket Strainer



S104

Deep Cup Drain w/ Long
Extension Shank



S107

Junior Duo Bar/Pre Sink
Drain w/ Deep Basket
Strainer



S119

Stainless Steel Sink Drain
Assembly



S120

Sink Drain Assembly w/
S.S Basket Strainer



S121

S.S Sink Basket Strainer
w/ Outer Cup



S122

S.S Sink Basket Strainer
w/ White Outer Cup

Opening Size

- **3-1/2" ~ 4" Sink Opening:** S105, S10535, S106, S110, S10142, S10430, S104, S119, S120, S121, S122
- **1-7/8" ~ 2-1/2" Sink Opening:** S107

Material

- **Stainless Steel / Brass:** S105, S10535, S110, S10430, S107
- **Stainless Steel Only:** S106, S104, S119

Garbage Disposal Flange



F128

Kitchen Sink Disposal
Flange W/ Stopper



F128F

Kitchen Sink Disposal
Flange W/ Basket
Strainer



F128L

Extended Kitchen Sink
Disposal Flange w/
Stopper



F128LF

Extended Kitchen Sink
Disposal Flange w/
Strainer Basket

Fits 3-1/2" to 4" openings.
Material: Stainless Steel/Brass colors
Available

Brass Waste Connector

1-1/2" MIP x 1-1/2" OD



Flood Guard

Material: Stainless Steel/Brass Available



Air Gap w/ Brass Cap

Customized Plating
Plastic cap is also available.

P-Traps



P610

1-1/2" P-Trap

Material: Stainless Steel/ Brass



P611

1-1/4" P-Trap

Material: ABS Plastic

J Bend



YL-J Series

For P-Traps

Without Clean-out

Material: Stainless Steel

Size: 1-1/4" or 1-1/2"

S Traps



YL-S Series

With Flange-Less

Clean-out

Material: Stainless Steel

Size: 1-1/4" or 1-1/2"

Slip Joint Elbows With CP Cast Nut

YL-E Series

Length: 4"/ 6"/ 8"/ 12"

Material: Stainless Steel

Size: 1-1/4"

Finish: CP/ Polish



Closet With CP die Cast Nuts

Bathtub Waste Sets


Common Specifications

- 20-gauge brass tubing
- Tube lengths: 3", 4-1/2" and 9"
- Sizes: 1-1/4" and 1-1/2"
- Faceplate materials: Zinc or Brass




Tip-Toe

- Toe-touch operation
- One-hole overflow faceplate



Lift & Turn

- Lift-and-turn stopper
- One-hole overflow faceplate



Trip Lever

- Lever-operated overflow
- Brass grid drain with 2" screw



Push & Close

- Push-and-close drain
- One-hole overflow faceplate

Bath Waste Kits



Tip-Toe Bath Waste Kit

- 1-1/2" brass drain with brass tip-toe cap
- PVC/ABS elbow
- One-hole overflow faceplate



Lift & Turn Bath Waste Kit

- 1-1/2" brass lift-and-turn drain
- PVC/ABS elbow
- One-hole overflow faceplate

Shower Hardware

Shower Curtain Rings



Shower Rod



Adjustable Shower Rod Flange

- Chrome plated ABS
- Customized packing support
- Expands from 1" to 1-1/2"
- Sold for pair



Shower Arm



S-Style Shower Arm

Decorative Curved Design

- Lengths Available:
8", 10"

Standard Shower Arm

For Standard Wall-Mount Shower Heads

- Lengths Available:
6", 8", 10"

90° Angle Shower Arm

For Rain Shower Applications

- Lengths Available:
12", 16", 18"

Straight Shower Arm

For Ceiling-Mount or Extension Applications

- Lengths Available:
6", 8", 10", 12"

Specifications

Material: Brass C27000
Thread: 1/2" NPT
Wall Thickness: 1.3 mm / 1.6 mm
Certification: NSF 372
Standard: ASME B1.20.1



Finishes Available

CP / BN / ORB / MB

Shower Head

Available in Various Finishes



AD-072



AD-073



AD-076



AD-077



AD-043CP



AD-079



AD-081



AD-078



AD-078CP



AD-042CP



AD-005



AD-008



AD-003L



AD-001



AD-002



AD-009



AD-013



AD-035



TR-8



CJ-001



CJ-002



CJ-003



CJ-004



TS-8



Shower Head



Available Spray Patterns & Faceplate Designs

Various nozzle configurations are available to provide different spray coverage and showering experiences.

Common Specifications

1/2" NPS · 1.75 GPM · Wall-Mounted · Brass · CSA Certified. Available in Various Finishes



1040A

Ø4" × H3.31"

37 Nozzle Holes



1040D

Ø4" × H3.31"

127 Nozzle Holes



1072A

Ø6" × H3.74"

76 Nozzle Holes



1080A8

Ø7.76" × H3.62"

141 Nozzle Holes



1080A10

Ø9.96" × H3.62"

231 Nozzle Holes



1083B8

Ø8" × H2.9"

90 Brass Nozzles

Shower Heads & Diverter Tub Spout

ADA support patterns are also available



Diverter Tub Spout

- 01-111-01 – 1-1/2" CP Zinc Nose Tub Spout
- 01-112-01 – 1/2" CP Zinc Slide-On Diverter Spout
- 01-113-01 – Diverter Spout, Front Lift with 1" Adjustable Mechanism
- 01-131-01 – Diverter Spout, Back UFT Connection
- 01-132-01 – Diverter Spout, Back UFT with Side Tapping
- 01-133-01 – Diverter Spout, Back Lift with Bottom Tapping
- 01-134-01 – Diverter Spout, Back Lift with Top Tapping

Non-Diverter Tub Spout

- 01-121-01 – 1/2" CP Zinc Tub Spout
- 01-122-01 – 1-1/2" CP Zinc Slide-On Tub Spout
- 01-123-01 – Tub Spout Non-Diverter with 1" Adjustable Mechanism
- 01-118-01 – 7" CP Zinc Nose Tub Spout
- 01-126-01 – 7" CP Zinc Tub Spout

Diverter Tub Spout

Front Lift / Back Lift / UFT / Slip-On / Nose Thread Types Available

Non-Diverter Tub Spout

Standard / Slip-On / Adjustable Mechanism Types Available

Material

Zinc Alloy

Finish

Chrome Plated

BATHTUB & SHOWER TRIM ACCESSORIES

Escutcheons, Wall Plates & Mounting Accessories



JY-717-CP



JY-717-AB



JY-717-ORB



JY-717-G7



JY-717-K-WH



JY-717-K-SN



JY-719-CP



JY-719-BN



JY-719-ORB



JY-719-K-CP



JY-719-K-PB



JY-719-K-SN



JY-714-BN



JY-714-K-CP



JY-715-K-SN



JY-71675-CP



JY-7161-CP



JY-715-CP



JY-716-G7



JY-716CP



Bathtub & Shower Drain



Stop N' Pop Rubber Stopper

- Push to open and close
- Easy installation, no tools required
- Fits 1-1/2" bathtub drain
- Available for 1" lavatory drain

BATHTUB & SHOWER TRIM ACCESSORIES

Plastic Floor Drain

Compliant with cUPC CSA quality



SD-PW123



SD-AB123



SD-PW001



SD-PW356

Bidet Spray

Available Finishes: CP / White



ML-019C



ML-021C



ML-022C



ML-010W



ML-017W



ML-019W



Complete Set Available

Fill Valves & Flappers

US PATENT

100% Quality

UPC

ANTI-SIPHON BALLCOCK / FLUSH VALVE

PLASTIC TOILET VALVES

VINYL / ABS

UNIVERSAL 3" FLAPPER

OPTION: 2"

DURABLE VINYL / ABS | **LEAK RESISTANT SEAL** | **EASY TO INSTALL** | **UNIVERSAL FIT FOR MOST TOILETS**

Tank Lever

JY-762-CP	JY-764-CP	JY-781-CP	JY-782-CP	JY-783-CP
JY-784-CP	JY-786-CP	JY-800	JY-7651-CP	JY-7652-CP
JY-7653-BN	JY-7790-CP	JY-7801-CP	JY-7802-CP	JY-7811-WH
JY-7830-CP	JY-7831-1-ORB	JY-7831-CP	JY-7855-CP	JY-7855-PB
JY-7628CP	JY-7629CP	JY-784-8Z	JY-783-8Z	JY-7850-CP

Available Finishes:
CP / BN / ORB / PB / WH

Toilet Flush Valve



Selected Customers and Brands We Have Supplied

KEENEY • CB • GYG • LYNCAR • BBC • DANCO • AM STD • AB • MDM •
CATHELLE • ELKA • EZ-FLO • PLUMSOURCE

Our OEM/ODM products are manufactured in accordance with customer-approved specifications and quality requirements.

All trademarks are the property of their respective owners and are shown for reference only.




Toilet Bolt/ Screw



NYLON Closet Bolt



Thinner base allows product to slide into bolt slots when the flange is flush to floor.



FEATURES & BENEFITS

- Universal application fits all flanges and material types.
- Increased head size so bolts won't fall through the drain pipe.
- More threads and specified design create a secure fit so the nut will stay in place and reduce backing out.

Commercial Flush Valve Parts

Compatible with TOTO-USA, Sloan,
Delany, I-CON and Other Commercial
Flushometer Systems

Flush Valve Assemblies



Vacuum Breakers



Replacement Parts



Faucet Hole Covers



HC134S



HC134S-T



HC134S-W



HC134SH



HC200SH-BG



HC200SH-BL



HC200SH-BSS



HC200SH-SN



HC200SH

Faucet Hole Covers

- HC134 Series – 1-3/4"
- HC200 Series – 2"

Material: Stainless Steel 430

Finishes Available: BG / BSS / MB / ORB / SN / White / Black / Custom

Escutcheon, F&C Plate



Q-01



Q-02



Q-03



Q-04



Q-05



Q-06



Q-07



R-01



R-02

Material: Steel / Brass / Plastic


Finished: Chrome Plated / White

Full Sizes Available

Hose Faucet Anchor




MOUNTING INSTRUCTIONS



A Loosely assemble clamp halves around interior water line using 1 1/2" Clamp Screws. Slide clamp to approx. 1" from wall and tighten screws.

B Thread 3" Bracing Screws into both clamp ends until they contact wall with equal pressure.

C Tighten Bracing Screws alternately and equally until faucet is secure. To prevent twisting when turning on or off, tighten screws into wood or masonry wall material.



Plastic Hanger Strap



Width: 3/4"

Lengths Available: 10 ft, 25 ft, 50 ft, 100 ft

Material: Flexible Plastic

Features: Pre-Punched Holes, Easy Installation, Lightweight & Durable

Application: Pipe, Duct & Tubing Support

Abrasive Cloth & Open Mesh



Abrasive Cloth Roll Box

1" x 20 YD

JR#150, #240, #320, #400, #600



Economy Roll



**Single-side Netted
Abrasive Cloth**

Steel Access Panel



Plastic Access Panel

SIZE: 6" x 9" , 14" x 14"



Plastic Stub-Out



INSTALLATION REFERENCE

During Construction



Stub-out fixed in the wall before wall finishing.

After Construction



Connect the fitting or fixture after construction.

✓ Typical use in plumbing rough-in work.



Application

- Used to reserve the pipe outlet position inside the wall.
- Protects the pipe opening during construction.
- Helps ensure accurate final installation.



Simple Installation

- 1 Fix the stub-out in position before wall finishing.
- 2 Keep the outlet end exposed after finishing.
- 3 Connect the fitting or fixture after construction.

Hose Clamp

More Styles Available Upon Request

General Notes

- Available in 400 series stainless steel, 304 stainless steel and 316 stainless steel
- RoHS & REACH compliant
- Size and material can be marked on the clamp for easy identification
- Suitable for hoses, plumbing, automotive, marine, agricultural and general industrial applications



German Type Hose Clamp

- 1DIN 3017 German standard
- Smooth edge design protects hose
- Size and material marked on band
- Wide clamping range



American Type Hose Clamp

- SAE J1508 standard
- Smooth and stable tightening
- Suitable for general hose fastening
- Size and material marked on band

Pipe Repair Clamp



Pipe Repair Clamp

Stainless Steel

Single Bolt / Double Bolt

Available Sizes: 1/2"-2"

Clamp Width: 3" / 6"

Water Heater Stand



Brass Flare Pigtail



Water Heater Safety Strap



Installation Steps

1 Position the Strap



Wrap the strap around the water heater and position it at the desired height.

2 Thread the Strap



Thread the strap through the roll buckle to form a secure loop.

3 Attach to Wall Bracket



Secure the strap end to the wall bracket.


4 Secure the Bracket



Fasten the wall bracket firmly to the wall stud using the included screws.

Note

- Install at upper and lower thirds of the water heater for maximum stability.
- Ensure the wall is a solid structure or properly reinforced.
- Check and tighten periodically.



Garden Hose Fittings

Plastic Garden Hose Fittings



W-3090

3/4" Plastic Snap-in Connector With Shut-off Valve



W-31398

Shut-off Valve Hose Connector With 1/2" Hose Mender



W-3270

3/4" Plastic 2-Way Snap-in Connector With Shut-off Valve



W-3213

3/4" 2-Way Hose Connector With Dial Switch



W-3365

4 Screws Tap Adaptor With Hose Mender



W-3170

1/2" Hose Mender



W-3190S

3/4" Water Stop Hose Connector & Metal Nut



W-3190SN

3/4" Water Stop Hose Connector With Soft Touch & Metal Nut

WT-1120

1"-3/4" 2 Hours Mechanical Timer With Male Thread



Brass Garden Hose Fittings NSF



Male Hose x Male Pipe Adapter

Available Sizes: 3/4" x 1/2", 3/4" x 3/4"
Options: SWT connection, FIP tap



Female Hose x Female Hose Coupling

Available Size: 3/4" x 3/4"
Option: Coupling type



Female Hose x Male Pipe Adapter

Available Sizes: 3/4" x 1/2", 3/4" x 3/4"
Option: SWT connection



Female Hose x Female Hose Adapter

Available Sizes: 3/4" x 1/2", 3/4" x 3/4"
Option: Short type



Male Hose x Female Pipe Adapter

Available Sizes: 3/4" x 1/2", 3/4" x 3/4"
Short type available



Hose Barb x Female Hose Swivel Adapter

Available Barb Sizes: 3/8", 1/2", 5/8", 3/4"
Connection: 3/4" Female Hose Swivel



Female Hose x Female Pipe Adapter

Available Sizes: 3/4" x 1/2", 3/4" x 3/4"



Hose Barb x Male Hose Adapter

Available Barb Sizes: 3/8", 1/2", 5/8", 3/4"
Connection: 3/4" Male Hose

Garden Hose & Spray Guns

Plastic



GW-9105

6, 7, 8, 9, 10 Pattern Plastic Trigger Nozzle



W-9201

Plastic Adjustable Head Trigger Nozzle



W-9931A

Adjustable Metal Head Trigger Nozzle with Flow Control

Metal



W-9302-1

7 Pattern Metal Head Front Lever Trigger Nozzle With Satin Plated



W-9301

Adjustable Brass Head Metal Front Full Lever Trigger Nozzle With Satin Powder Coated



W-9305

9 Pattern Aluminum Trigger Nozzle




Recoil Hose

- Material: PU / EVA
- Size: 3/8"
- Length: 25 ft / 50 ft
- Connector options: plastic or brass female & male connectors
- Optional plastic 7-pattern gun set
- 1/4" x 9M PU option available

Reinforced Garden Hose

- For garden watering and outdoor cleaning
- Available in 1/2" and 3/4"
- Length options: 10M, 15M, 20M
- Flexible and durable reinforced design



Stem Series



A MILWAUKEE
Stem, Brass



B BRIGGS
Stem, Brass



C AMERICAN STANDARD
Stem, Brass, Re-Nu



D SAYCO
Stem, Brass



E PRICE PFISTER
Stem, Brass



F AMERICAN STANDARD
Stem, Brass, "R" Series



G KOHLER
Diverter Stem, Brass
Shoreham Trend



H KOHLER
Stem, Brass



I CHG
Stem Pair, Brass



J ELJER
Stem, Brass



K PRICE PFISTER
Shower Stem



L T & S
Brass Stem Assembly,
Compression Style

Stem Extension



DELTA STYLE
Stem Extension
D14-013PR-HC - 12631

Compatible with Major U.S. Brands

- American Standard
- Briggs
- Central Brass
- Eljer
- Glacier Bay
- Harcraft
- Kohler
- Price Pfister
- Sayco
- T&S
- Zurn
- Delta
- And more....

Representative Models Shown

Cartridge Series

Single Lever



A **PRICE PFISTER**
Single Lever Cartridge, Plastic



B **ZURN**
Single Lever Pressure Balance Cartridge, Ceramic



C **Single Lever Cartridge**



D



E

Single Lever Pressure Balance Cartridge

Ceramic



F **GLACIER BAY**
Cartridge, Ceramic



G **PRICE PFISTER**
Ceramic Cartridge (Hot)
D18-009H-HC



H **PRICE PFISTER**
Ceramic Cartridge (Cold)
D18-009C-HC

Special Types



I **DELTA STYLE**
Replacement Cartridge
D14-004-HC - 1991



J **KOHLER TYPE**
Replacement Cartridge
D17-011A-HC - 2957-T

Compatible with Major U.S. Brands

- American Standard
- Briggs
- Central Brass
- Eljer
- Glacier Bay
- Harcraft
- Kohler
- Price Pfister
- Sayco
- T&S
- Zurn
- Delta
- And more....

Representative Models Shown

Aerator & Snap Parts



403-T

Aerator Adapter



859-T

Long Dish Washer
Snap Nipple



AS13LF-HC-861-T

Snap Nipple



871-T

Small Snap Coupling
Set



AS15LF-BSC-873-T

Dual-Thread Swivel
Aerator

Drain Repair Parts



4400827-HC - 827-T

Pop-Up Rod Assembly



1820-T

Pop-Up Horizontal RD



DA-02HC - 1881-T

Delta Repair Kit



901-T

Pop-Up Plunger

Trim & Handle Parts



2615-T-BL - 2615-T

Price Pfister
Handle Trim Kit



2616-T-BL - 2616-T

Price Pfister
Handle Trim Kit



D38-014-HC -1486-T

Price Pfister
Shower Handle



D38-015-HC - 1487-T

Price Pfister
Acrylic Handle



D36-013-HC

Delta
Acrylic Ball Handle



D38-003LB-HC-1566-T

Moen
Acrylic Lever Handle



D38-002-HC-1567-T

Moen
Posi-Temp Handle